

From: "Zhen, Davis"
To: "Coffey, Scott" <CoffeySE@cdmsmith.com>
"Sheldrake, Sean" <sheldrake.sean@epa.gov>
"Young, Howard S." <younghs@cdmsmith.com>
Date: 3/2/2018 12:20:58 PM
Subject: FW: Submittal of HASP RLSO and Clean Versions
Attachments: [HASP_Rev1_RLSO_03.02.2018.docx](#)
[HASP_Rev1_Clean_03.02.2018.pdf](#)

Thanks,

Davis Zhen
Environmental Cleanup Unit 2
Office of Environmental Cleanup
1200 Sixth Avenue Suite 900
M/S ECL – 122, Seattle, WA 98101
Tel: (206) 553-7660
Cell: (206) 437-5826

From: Tyrrell, Ken [mailto:ken.tyrrell@aecom.com]
Sent: Friday, March 02, 2018 12:18 PM
To: Zhen, Davis <Zhen.Davis@epa.gov>
Subject: Submittal of HASP RLSO and Clean Versions

Davis,

Please accept the submittal of the attached files (Redline Strikeout and Clean), these files incorporate the suggestions made during our technical call on Thursday, March 1.

The submittal of these documents satisfy the requirement specified in the ASAO for the Portland Harbor Superfund Site for submittal of the Health and Safety Plan (HASP) within thirty days of receipt of the EPA comments.

The attachments are about 10 MB in size which are well under your email size limit but to be safe would you please confirm receipt?

We appreciate, and accept, your offer to provide us with the dive plan that was used for the RM11E project.

Thanks,

Ken Tyrrell
Executive Vice President
Project Coordinator – Portland Harbor
Design and Consulting Services Group
M +281-224-2793
ken.tyrrell@aecom.com

AECOM
1111 Third Avenue
Seattle, WA 98101
T +206-438-2700
www.aecom.com